

CORFEX® - Packaging Units – Dimensions, Quantities and Weights



Crossbars		Item Dimensions				Packaging Unit Dimensions					
Item.No.	Matchcode	Length	Width	Height	Unit Weight	Length	Width	Height	pcs./Pallet	Pallet	Pallet weight
CFQ.80.80	IPPC-Querriegel 80x80	2420	80	100	≈ 7 kg	2430	800	1150	100	120x80	≈ 750 kg
CFQ.80.100	IPPC-Querriegel 80x100	2420	80	80	≈ 8,5 kg	2430	800	920	100	120x80	≈ 850 kg
CFQ.75.80	LVL-Querriegel 75x80	2420	75	80	≈ 7,5 kg	2430	800	970	100	120x80	≈ 790 kg
CFQ.75.100	LVL-Querriegel 75x100	2420	75	100	≈ 9,6 kg	2430	800	1170	100	120x80	≈ 995 kg

Supports		Item Dimensions				Packaging Unit Dimensions					
Item.No.	Matchcode	Length	Width	Height	Unit Weight	Length	Width	Height	pcs./Pallet	Pallet	Pallet weight
CFS.80.100.1	Support 1 Level	1391	81	35	1,82 kg	1410	810	1580	400	120x80	≈ 780 kg
CFS.80.100.2	Support 2 Levels	1900	81	35	2,25 kg	1920	810	1580	400	120x80	≈ 930 kg
CFS.80.100.3	Support 3 Levels	2070	81	35	2,08 kg	2090	810	1580	400	120x80	≈ 860 kg
CFS.80.80.4	Support 4 Levels	2070	81	35	1,97 kg	2090	810	1580	400	120x80	≈ 820 kg
CFS.80.80.1.2	Support 1/2 Levels	1900	81	35	2,15 kg	1920	810	1580	400	120x80	≈ 890 kg
CFZ.UL.100	Support with UPLash	identical	157	36	+ 0,248 kg	+ 160 mm	840	1790	400	120x80	+ ≈ 100 kg

All dimensions and weights can be defeated by low divergences. Mistakes and changes reserved.



CORFEX® - Packaging Units – Example Pictures

Supports 1 Level (400 pcs)



Supports 2/3/4 Levels (400 pcs)



Supports with UPLash (400 pcs)



Crossbars (100 pcs)



Crossbar Pallets
Stacked





CORFEX® Packaging Units – Storage and Truckload



Mixed Unit



C
**COR
FEX**
CONTAINER
STORAGE
SYSTEM

1F
FAIRFIX